



CERTIFICATE

Solarif Insurance (i.e. Solar Insurance B.V.) declares, after a thorough risk assessment of amongst others the production lines, financial strength, environmental and labor conditions, that the modules mentioned below from the **Jetion Solar co., Ltd** factory located at No.1011 zhencheng RD., Shengang Town, Jiangyin City, Jiangsu Province, are approved.

The certificate is valid from **15 May 2015** until **15 May 2016** and as long as the company is not insolvent.

This certificate enables clients who use the approved inverters to insure their PV installation – as an optional cover on the operational Solar PV Insurance – against damages arising from or caused by an inherent defect.

This insurance is exclusively available through Solarif.

For more information or a quotation, please contact us by email midoffice@solarif.com or visit us at www.solarif.com.

On behalf of Solarif Insurance
Date: **29-10-2015**

Harry Wolkenfelt
Chief Executive Officer



Certificate no. **CRT-JESO-20150807-0060**



SOLARIF

INSURANCE

APPROVED MONO-CRYSTALLINE MODULES

<i>Model</i>	<i>Max. Power (Wp)</i>	<i>Tolerance</i>	<i>Euro. Efficiency</i>	<i>Number and size of cell</i>
JT220SBb - JT275SBb*	220-275	0--+5W	19.40%	96x125mm*125mm(D165)
JT200SGb - JT250SGb*	200-250	0--+5W	19.20%	88x1 25mm*1 25mm(D165)
JT170SAb - JT205SAb	170-205	0--+5W	19.20%	72x1 25mm*1 25mm(D165)
JT120SEb - JT135SEb*	120-135	0--+5W	19.00%	48x1 25mm*1 25mm(D165)
JT075SFb - JT100SFb*	75-100	0--+5W	18.80%	36x1 25mm*1 25mm(D165)
JT220SBa - JT250SBa*	220-250	0--+5W	18.40%	96x125mm*1 25mm(D150)
JT200SGa - JT225SGa*	200-225	0--+5W	18.00%	88x125*1 25mm(D150)
JT170SAa - JT190SAa*	170-190	0--+5W	18.60%	72x125mm*1 25mm(D150)
JT120SEa - JT125SEa*	120-125	0--+5W	18.40%	48x125mm*125mm(D150)
JT075SFa - JT090SFa*	75-90	0--+5W	17.60%	36x1 25mm*1 25mm(D150)
JT040SG - JT060SG*	40-60	0--+5W	16.80%	36x1 25mm*83.3mm(D165)
JT035SF - JT045SF*	35-45	0--+5W	17.00%	36x1 25mm*62.5mm(D165)
JT020SH - JT030SH*	20-30	0--+5W	17.00%	36x1 25mm*41.7mm(D165)
JT270SAc - JT310SAc*	270-310	0--+5W	18.60%	72x1 56.75mm*1 56.75mm(D205) / 72x156mm*156mm(D200)
JT230SCc - JT255SCc*	230-255	0--+5W	18.40% / 18.20%	60x1 56.75mm*1 56.75mm(D205) / 60x1 56mm*1 56mm(D200)
JT210SDc - JT230SDc*	210-230	0--+5W	18.40% / 18.40%	54x1 56.75mm*1 56.75mm(D205) / 54x1 56mm*1 56mm(D200)
JT180SEc - JT200SEc*	180-200	0--+5W	18.00%	48x1 56.75mm*1 56.75mm(D205) / 48x156mm*156mm(D200)
JT135SFc - JT150SFc*	135-150	0--+5W	18.00%	36x1 56.75mm*1 56.75mm(D205) / 36x1 56mm*1 56mm(D200)
JT270SMc - JT310SMc*	270-310	0--+5W	18.60%	72x156.75mm*156.75mm(D205) / 72x1 56mm*1 56mm(D200)
JT230SLc - JT255SLc*	230-255	0--+5W	18.40% / 18.20%	60x156.75mm*156.75mm(D205) / 60x1 56mm*1 56mm(D200)
JT210SNc - JT230SNc*	210-230	0--+5W	18.40% / 18.40%	54x1 56.75mm*1 56.75mm(D205) / 54x156mm*156mm(D200)
JT180SOc - JT200SOc*	180-200	0--+5W	18.00%	48x1 56.75mm*1 56.75mm(D205) / 48x156mm*156mm(D200)

* with increment of 5

Certificate no. **CRT-JESO-20150807-0060**



SOLARIF

INSURANCE

APPROVED POLY-CRYSTALLINE MODULES

<i>Model</i>	<i>Max. Power (Wp)</i>	<i>Tolerance</i>	<i>Euro. Efficiency</i>	<i>Number and size of cell</i>
JT260PAe - JT330PAe*	260-330	0--+5W	19.00%	72x156mm*156mm
JT220PCe - JT275PCe*	220-275	0--+5W	19.00%	60x156mm*156mm
JT195PDe - JT245PDe*	195-245	0--+5W	19.00%	54x156mm*156mm
JT195PDe-20 - JT225PDe-20*	195-225	0--+5W	17.40%	54x156mm*156mm
JT170PEe - JT220PEe*	170-220	0--+5W	19.00%	48x156mm*156mm
JT125PFe - JT165PFe*	125-165	0--+5W	19.00%	36x156mm*156mm
JT260PMe - JT330PMe*	260-330	0--+5W	19.00%	72x156mm*156mm
JT220PLe - JT275PLe*	220-275	0--+5W	19.00%	60x156mm*156mm
JT195PNe - JT245PNe*	195-245	0--+5W	18.82%	54x156mm*156mm
JT170POe - JT220POe*	170-220	0--+5W	19.00%	48x156mm*156mm
JT300PMg - JT320PMg*	300-320	0--+5W	18.60%	72x156mm*156mm
JT250PLg - JT270PLg*	250-270	0--+5W	18.80%	60x156mm*156mm

* with increment of 5

Certificate no. **CRT-JESO-20150807-0060**